GEARWRENCH FORGE AHEAD



LIFTING GUIDE

Includes: Jack Stands, Bottle Jacks, Floor Jacks, and Motorcycle Jack



GEARWRENCH

UPGRADE YOUR GARAGE

The GEARWRENCH line of Lifting and Shop Equipment offer best-in-class speed and ease of use around the shop. GEARWRENCH shop equipment products are designed for auto techs and professionals, allowing them to work safely and efficiently. All lifting products meet ASME PASE lifting standard.



JACK STANDS



Double Lock Pin Design Provides an added layer of protection



Meets ASME PASE-2019

Safety and performance requirements

| Cat. No | Description | Minium Height | Maximum Height | Number of Positions | Capacity Per Pair |
|---------|------------------------------|---------------|----------------|---------------------|-------------------|
| GWJS2T | 2 Ton Ratcheting Jack Stand | 11.25" | 17" | 11 | 4000 lbs. |
| GWJS3T | 3 Ton Ratcheting Jack Stand | 11.75" | 17.5 | 11 | 6000 lbs. |
| GWJS6T | 6 Ton Ratcheting Jack Stand | 15.75" | 24.5" | 13 | 12000 lbs. |
| GWJS12T | 12 Ton Ratcheting Jack Stand | 17.5" | 27.5" | 13 | 24000 lbs. |

BOTTLE JACKS

Knurled Handle Design

Provides additional grip in all conditions

Built-In Handle Storage

Prevents handles from getting lost or misplaced during storage and travel

Handle Lock Pin

Holds and locks two handle ends together for easier operation



Large, High Grip Saddle

40% Larger diameter, grooved design, and textured grip coating provides extra bite and stability while lifting



Large, Textured Base

For strength and stability

Meets ASME PASE-2019

Safety and performance requirements

| Cat. No | Description | Minium Height | Maximum Height | Handle Length | Capacity Per Pair |
|---------|-----------------------------|---------------|----------------|---------------|-------------------|
| GWHBJ2T | 2 Ton Hydraulic Bottle Jack | 7" | 13.25" | 11.75" | 4000 lbs. |
| GWHBJ4T | 4 Ton Hydraulic Bottle Jack | 7.5" | 14.25" | 13" | 8000 lbs. |
| GWHBJ6T | 6 Ton Hydraulic Bottle Jack | 8.25" | 16" | 15" | 12000 lbs. |

GEARWRENCH

FLOOR JACKS





STEEL CONSTRUCTION

Rubber Saddle Provides grip and prevents damage

to vehicle frame

Provides strength and durability

GWLPFI3T

Protected Handle Design

Prevents damage to vehicle





Convenient Carrying Handles For easy transport in the garage and on the track



Dual Piston Fast Lift Provides strong and consistent lifting

Meets ASME PASE-2019

GWALFJ2T

Safety and performance requirements

| Cat. No | Description | Minimum Height | Maximum Height | Handle Length | Maximum Load |
|----------|--------------------------------|----------------|----------------|---------------|--------------|
| GWLPFJ3T | 3.5 Ton Low Profile Floor Jack | 3.75" | 21.75" | 46.5" | 7000 lb. |
| GWHDFJ3T | 3 Ton Heavy Duty Floor Jack | 5.25" | 18.25" | 43" | 6000 lb. |
| GWALFJ2T | 2 Ton Aluminum Floor Jack | 3.25" | 18.5" | 48" | 4000 lb. |
| | | | | | |

GEARWRENCH

ATV/MOTORCYCLE JACK







HIGH STRENGTH STEEL CONSTRUCTION

Heavy Duty Foot Pedal

Operated hydraulic ram provides 1500lbs of lifting force for a variety of vehicles

Three Position Mechanical Safety Stops

Prevent accidental lowering of vehicle



Large Rubber Lift Platform

Provides grip and protects

vehicle frame



Dual Piston Fast Lift

Provides strong and consistent lifting

Meets ASME PASE-2019

Safety and performance requirements

| Cat. No | Description | Minimum Height | Maximum Height | Handle Length | Maximum Load |
|----------|------------------------------|----------------|----------------|---------------|--------------|
| GWMJ15LB | 1500 lbs ATV/Motorcycle Jack | 4.63" | 14.5" | 28.3" | 1500 lb. |







